

TWYFORDS'
SANITARY FIXTURES
FOR THE
CANADIAN MARKET

TRADE  MARK

CATALOGUE "JL"

"JL" CATALOGUE

24510
#34882
\$300
JA



Potteries at Hanley, England

TWYFORDS, LIMITED

SANITARY POTTERS

HANLEY, STAFFORDSHIRE, ENGLAND

Cables:
Twyford's
Hanley



Codes:
ABC (4th & 5th)
and Liebers

CHIEF CANADIAN DEPÔT

310 University Street, Montreal

Telegrams:
Twycliffe Montreal

Telephone Number:
UP 3241


AGENCIES

Toronto
Winnipeg

Vancouver
Calgary

Edmonton
Saskatoon

Regina
St. John, N.B.






The above is a reduced
facsimile of one of our
registered trade labels

British Made Goods—Canadian Designs

THE English Sanitary Fixtures illustrated in this small catalogue are made at our potteries in Staffordshire, and have been specially designed to meet Canadian requirements.

Manufacturing Experience Unequalled

As the oldest, and probably the largest, manufacturers of Sanitary Wares and Fittings exclusively, our experience is unequalled in regard to the production of such goods, and fixtures bearing the name "TWYFORDS" and the well-known trade mark  are universally recognised as representing the very best obtainable.

Durability combined with fine Appearance

In selecting sanitary goods the question of durability, although of the utmost importance, is often overlooked, and as large quantities of ware and fittings are produced without regard to their lasting qualities—so long as they look attractive when new—it is very advisable to specify and insist on fixtures made by a firm upon whose guarantee reliance can be placed.

Our Goods carry full Guarantee

Our wares, marketed under the names "CV", "Adamant" and "Vitrina" are guaranteed not to craze or peel, and we undertake to replace without charge any article made by us which may prove defective within a reasonable time.

Prices are keenly Competitive

Formerly the importation of our products into Canada was restricted by reason mainly of transport difficulties, but the removal of these now enables us to sell at competitive prices throughout the Dominion.

Plant Capacity—Agency Arrangements

Our manufacturing and distributing facilities are such that we are in a position to ensure satisfaction being given to all clients, at whose disposal our services are gladly placed. For List of Canadian Agencies see Title Page.




TWYFORDS' SANITARY FIXTURES

No. JL 9 TWYFORDS' BATHROOM SUITE, comprising:—

- | | | |
|--------------|------------|---|
| Bath | No. JL 69 | "Athena" Bath in "Adamant" Porcelain, white enamelled inside, on roll and on base, unglazed out, 5' 6" long overall, with fittings as described on page 3. |
| Lavatory | No. JL 95 | Lavatory in "CV" Chinaware, with leg and nickel plated fittings; size 27" × 19", as described on page 10. |
| Water Closet | No. JL 36 | W.C. Fixture in "CV" Chinaware, as described on page 24. |
| Accessories | No. JL 924 | Shaving Mug Holder |
| | „ JL 927 | Shaving Mug ... |
| | „ JL 924 | Tumbler Holder ... |
| | „ JL 925 | Tumbler ... |
| | „ JL 923 | Toilet Paper Holder |
| | „ JL 922 | Soap and Sponge Holders ... |
| | „ JL 929 | Towel Rails ... |
| | „ JL 932 | Shelf ... |
| | „ JL 908 | Mirror in best silvered plate glass with bevelled edges and white enamelled wood frame 1 $\frac{3}{4}$ " wide; size overall 33" × 26". |
| | „ JL 975 | Chair in white enamelled hardwood. |
| | „ JL 979 | Cabinet in white enamelled hardwood, 25" × 18", with glass shelves, nickel plated brass front and door frame with lock, best silvered plate glass mirror with bevelled edges. |

as described on page 41



Minimum size of Bathroom 10' × 7'

Catalogues and Prices of Wall and Floor Tiles, Paving Quarries, etc., on request

TWYFORDS' SANITARY FIXTURES




No. JL 9 Bathroom

ESTIMATES and suggestions for complete bathrooms, including tiling or marble work for walls and floors, will be submitted on receipt of particulars as to space at disposal. The above illustration represents a bathroom interior with high grade fixtures, such as would be well suited for the better class apartment house.

For detailed specification see opposite page

TWYFORDS' SANITARY FIXTURES



No. JL 69 "Athena"

No. JL 69 TWYFORDS' "ATHENA" BATH in "Adamant" Porcelain, white enamelled inside, on roll and on base, unglazed outside, with nickel plated fittings, including $\frac{3}{4}$ " compression valves, bell supply, and 2" pull-up waste with overflow.


Dimensions

Bath	6' 4"	long	×	2' 8"	wide	×	1' 10"	deep, overall sizes			
"	5' 10"	"	×	2' 8"	"	×	1' 10"	"	"	"	"
"	5' 6"	"	×	2' 6"	"	×	1' 10"	"	"	"	"
"	5' 0"	"	×	2' 6"	"	×	1' 10"	"	"	"	"

This bath, which can be supplied white enamelled in and out, is also made for opposite corner. Similar patterns can be had with both ends exposed, or with ends squared to fix between walls.

For roughing-in measurements see page 46

TWYFORDS' SANITARY FIXTURES



No. JL 70 "Verona"

No. JL 70 TWYFORDS' "VERONA" BATH in "Adamant" Porcelain, white enamelled inside, on roll and on base, unglazed outside, with nickel plated fittings, including $\frac{3}{4}$ " compression valves, bell supply, and 2" pull-up waste with overflow.


Dimensions

Bath 6' 0" long \times 2' 6" wide \times 1' 10" deep, overall sizes
 " 5' 6" " \times 2' 6" " \times 1' 10" " " "

This bath, which can be supplied white enamelled in and out, is also made to suit fittings in centre at back, instead of end.

For roughing-in measurements see page 46

TWYFORDS' SANITARY FIXTURES



No. JL 71 "Romano"

No. JL 71 TWYFORDS' "ROMANO" BATH in "Adamant" Porcelain, white enamelled inside, on roll and on base, unglazed outside, with nickel plated fittings, including $\frac{3}{4}$ " compression valves, bell supply, and 2" pull-up waste with overflow.


Dimensions

Bath 6' 0" long \times 2' 6" wide \times 1' 8" deep, overall sizes
" 5' 6" " \times 2' 6" " \times 1' 8" " " "

This bath, which can be supplied white enamelled in and out, is also made 1' 10" deep.

For roughing-in measurements see page 46

TWYFORDS' SANITARY FIXTURES



No. J L 2 "Granville" Chinaware

No. J L 802 "Elgin" Porcelain

No. J L 2 TWYFORDS' "GRANVILLE" PEDESTAL LAVATORY in "CV" Chinaware, with nickel plated $\frac{1}{2}$ " quick compression faucets having china lever handles; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fitting, attachment for securing pedestal to floor.

No. J L 802 TWYFORDS' "ELGIN" PEDESTAL LAVATORY as above, but in white enamelled "Adamant" Porcelain.


Dimensions

Overall	...	30" x 24"
Bowl	...	20" x 16"

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 47

TWYFORDS' SANITARY FIXTURES



No. JL 860 "Abingdon" Porcelain

No. JL 860 TWYFORDS' "ABINGDON" PEDESTAL LAVATORY in white enamelled "Adamant" Porcelain, with nickel plated $\frac{1}{2}$ " quick compression faucets having china lever handles; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fitting; enamelled iron wall supports; attachment for securing pedestal to floor.


Dimensions

Overall	Bowl	Skirting
30" x 22"	24" x 15"	6"
26" x 20"	20 $\frac{1}{2}$ " x 12"	6"

This lavatory can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 47

TWYFORDS' SANITARY FIXTURES



No. JK 5 "Cadogan" Chinaware


No. JK 5 TWYFORDS' "CADOGAN" PEDESTAL LAVATORY in "CV" Chinaware, with nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " "Sola" Waste and overflow fitting, attachment for securing pedestal to floor.

Dimensions

Overall	...	30" x 24"
Bowl	...	20" x 16"

This lavatory can also be supplied with various other patterns of faucets and waste fitting.

TWYFORDS' SANITARY FIXTURES



No. JK 7 "Desmond" Chinaware

No. JK 808 "Edinburgh" Porcelain

No. JK 7 TWYFORDS' "DESMOND" PEDESTAL LAVATORY in "CV" Chinaware, with nickel plated $\frac{1}{2}$ " quick compression faucets having china lever handles; nickel plated $1\frac{1}{4}$ " "Elro" Waste and overflow fitting; enamelled iron wall supports; attachment for securing pedestal to floor.


No. JK 808 TWYFORDS' "EDINBURGH" PEDESTAL LAVATORY as above, but in white enamelled "Adamant" Porcelain.

Dimensions

Overall	...	30" x 24"
Bowl	...	21" x 15"

These Lavatories can also be supplied with various other patterns of faucets and waste fittings.

TWYFORDS' SANITARY FIXTURES



No. JL 90

Chinaware

No. JL 91

No. JL 90 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.

No. JL 91 TWYFORDS' LAVATORY as above, but, with chinaware pedestal as inset. The necessary enamelled iron wall supports, also attachment for securing pedestal to floor, are included.


Dimensions

Overall	...	27" x 19"
Bowl	...	21" x 13"
Skirting	...	8 $\frac{1}{2}$ "

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 48

TWYFORDS' SANITARY FIXTURES



No. J.L. 92

Chinaware

No. J.L. 93

No. J.L. 92 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.


No. J.L. 93 TWYFORDS' LAVATORY as above, but with chinaware leg as inset. The necessary enamelled iron wall supports are included. Made in sizes 27" x 19" and 25" x 18" only.

Dimensions		
Overall	Bowl	Skirting
27" x 19"	21" x 13"	7 $\frac{1}{2}$ "
25" x 18"	19" x 12"	7 $\frac{1}{2}$ "
22" x 16"	16 $\frac{1}{2}$ " x 10"	7 $\frac{1}{2}$ "

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 48

TWYFORDS' SANITARY FIXTURES



No. JL 94

China ware

No. JL 95

No. JL 94 TWYFORDS' LAVATORY in "CV" China ware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.

No. JL 95 TWYFORDS' LAVATORY as above, but with china ware leg as inset. The necessary enamelled iron wall supports are included. Made in sizes 27" x 19" and 25" x 18" only.


Dimensions

Overall	Bowl	Skirting
27" x 19"	19" x 12 $\frac{1}{2}$ "	7 $\frac{1}{2}$ "
25" x 18"	17" x 11 $\frac{1}{2}$ "	7 $\frac{1}{2}$ "
22" x 16"	16" x 10"	7 $\frac{1}{2}$ "

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 48

TWYFORDS' SANITARY FIXTURES



No. J L 96

Chinaware

No. J L 97

No. J L 96 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.

No. J L 97 TWYFORDS' LAVATORY as above, but with chinaware leg as inset. The necessary enamelled iron wall supports are included. Made in sizes 30" x 22" and 27" x 20" only.


Dimensions

Overall	Bowl	Skirting
30" x 22"	$17\frac{1}{2}$ " x $13\frac{1}{2}$ "	$7\frac{1}{2}$ "
27" x 20"	$15\frac{1}{2}$ " x $11\frac{1}{2}$ "	$7\frac{1}{2}$ "
24" x 18"	13" x 10"	$7\frac{1}{2}$ "

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 49

TWYFORDS' SANITARY FIXTURES



No. J.L. 861

Porcelain

No. J.L. 862

No. J.L. 861 TWYFORDS' LAVATORY in white enamelled "Adamant" Porcelain, with nickel plated $\frac{1}{2}$ " quick compression faucets having china lever handles; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fitting; cast iron concealed brackets.

No. J.L. 862 TWYFORDS' LAVATORY as above, but with porcelain leg as inset. The necessary enamelled iron wall supports are included.


Dimensions

Overall	Bowl	Skirting
26" x 20"	20 $\frac{1}{2}$ " x 12"	6"
24" x 18"	18 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ "	6"

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 49

TWYFORDS' SANITARY FIXTURES



No. JL 863

Porcelain

No. JL 864

No. JL 863 TWYFORDS' LAVATORY in white enameled "Adamant" Porcelain, with nickel plated $\frac{1}{2}$ " quick compression faucets having china lever handles; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fitting; cast iron concealed brackets.

No. JL 864 TWYFORDS' LAVATORY as above, but with porcelain leg as inset. The necessary enameled iron wall supports are included.


Dimensions

Overall	Bowl	Skirting
26" x 20"	20 $\frac{1}{2}$ " x 12"	6"
24" x 18"	18 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ "	6"

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 49

TWYFORDS' SANITARY FIXTURES



No. J L 865

Porcelain

No. J L 866

No. J L 865 TWYFORDS' LAVATORY in white enameled "Adamant" Porcelain, with nickel plated $\frac{3}{4}$ " quick compression faucets having china lever handles; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fitting; cast iron concealed brackets.

No. J L 866 TWYFORDS' LAVATORY as above, but with porcelain leg as inset. The necessary enameled iron wall supports are included.


Dimensions

Overall	Bowl	Skirting
30" x 22"	17 $\frac{1}{2}$ " x 12 $\frac{1}{2}$ "	6"
27" x 20"	15" x 10 $\frac{1}{2}$ "	6"

These lavatories can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 50

TWYFORDS' SANITARY FIXTURES



No. JL 98 Chinaware

No. JL 867 Porcelain

No. JL 98 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.

No. JL 867 TWYFORDS' LAVATORY as above, but in "Adamant" Porcelain.


Dimensions

Overall	...	22" x 18"
Bowl	...	$16\frac{1}{2}$ " x $12\frac{1}{2}$ "
Skirting	...	8"

These lavatories can also be supplied with various other patterns of faucets.

For roughing-in measurements see page 50

TWYFORDS' SANITARY FIXTURES



No. JL 99 Chinaware

No. JL 868 Porcelain

No. JL 99 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.

No. JL 868 TWYFORDS' LAVATORY as above, but in "Adamant" Porcelain.


Dimensions

Overall	...	22" x 18"
Bowl	...	$16\frac{1}{2}$ " x $12\frac{1}{2}$ "
Skirting	...	8"

These lavatories can also be supplied with various other patterns of faucets.

For roughing-in measurements see page 50

TWYFORDS' SANITARY FIXTURES



No. JL 100 Chinaware

No. JL 869 Porcelain

No. JL 100 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.

No. JL 869 TWYFORDS' LAVATORY as above, but in "Adamant" Porcelain.


Dimensions

Overall	...	25" x 23"
Bowl	...	17" x 13"
Skirting	...	8"

These lavatories can also be supplied with various other patterns of faucets.

For roughing-in measurements see page 51

TWYFORDS' SANITARY FIXTURES



No. JL 101 Chinaware

No. JL 101 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; cast iron concealed brackets.


Dimensions

Overall	...	20" x 18"
Bowl	...	14 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ "
Skirting	...	8"

This lavatory can also be supplied with various other patterns of faucets

For roughing-in measurements see page 51

TWYFORDS' SANITARY FIXTURES



No. JL 49 Chinaware

No. JL 49 TWYFORDS' LAVATORY in "CV" Chinaware, with "Combined" overflow; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " waste fitting with rubber plug; painted cast iron brackets with band.


Dimensions

Overall	Bowl	Skirting
27" x 19"	21" x 13"	3 $\frac{1}{2}$ "
25" x 18"	19" x 12"	3 $\frac{1}{2}$ "
22" x 16"	16 $\frac{1}{2}$ " x 10"	3 $\frac{1}{2}$ "

This lavatory can also be supplied with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 51

TWYFORDS' SANITARY FIXTURES



No. JL 1331 Porcelain

No. JL 1331 TWYFORDS' LAVATORY RANGE in white enamelled "Adamant" Porcelain, with overlapped joints; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fittings; cast iron concealed brackets.


Dimensions

Overall	Bowl	Skirting
26" x 20"	20 $\frac{3}{8}$ " x 12"	6"
24" x 18"	18 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ "	6"

This lavatory range, which can be supplied to accommodate any desired number of persons, can also be had with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 52

TWYFORDS' SANITARY FIXTURES



No. JL 1332 Porcelain

No. JL 1332 TWYFORDS' LAVATORY RANGE in white enamelled "Adamant" Porcelain, with overlapped joints; nickel plated $\frac{1}{2}$ " compression faucets; nickel plated $1\frac{1}{4}$ " pull-up waste and overflow fittings; cast iron concealed brackets.

Dimensions

Overall	Bowl	Skirting
26" x 20"	19" x 12"	6"
24" x 18"	17" x 10 $\frac{1}{2}$ "	6"

This lavatory range, which can be supplied to accommodate any desired number of persons, can also be had with various other patterns of faucets and waste fittings.

For roughing-in measurements see page 52

TWYFORDS' SANITARY FIXTURES



No. JL 1



No. JL 7

No. JL 1 TWYFORDS' DRINKING FOUNTAIN in white enamelled "Adamant" Porcelain, with nickel plated fittings including self-closing nozzle, outlet grating, $\frac{1}{2}$ " control valve, and $1\frac{1}{4}$ " galvanized waste pipe with union.

No. JL 7 TWYFORDS' DRINKING FOUNTAIN in white enamelled "Adamant" Porcelain, with nickel plated fittings including self-closing nozzle, outlet grating, $1\frac{1}{4}$ " "P" trap and $\frac{1}{2}$ " control valve with wall flanges.

Dimensions

No. JL 1 12" diameter at top \times 30" high, overall sizes.

No. JL 7 15" wall to front \times 12" wide \times 7" deep overall sizes.

Designs and particulars of drinking fountains arranged in batteries to accommodate any desired number of persons can be had on application.

For roughing-in measurements see page 52

TWYFORDS' PATENT FLUSHERETTE

TWYFORDS' FLUSHERETTE is a patent valve introduced to take the place of the ordinary flushing cistern or tank. A few of its advantages are :—

- ¶ It is much more silent in action than the quietest cistern.
- ¶ All ball-valve and other cistern troubles are eliminated.
- ¶ Its neatness and compactness enhance the appearance of the complete fixture.
- ¶ It is admirably suited for use in cramped spaces.

The Flusherette gives the same flush at each operation, and a continuous flow of water cannot be obtained, thus avoiding waste. Nearly all other flush valves are water-wasters, it only being necessary with these to keep the handle or push button depressed in order to obtain a continuous flush. Even more important than this when comparing the Flusherette with other flush valves is its absolute reliability. There are no delicate valves, rubber discs or like devices to be readily put out of order by grit or other foreign matter. The Flusherette is extremely simple in construction, with only two moving parts both made of hard non-corrosive gunmetal, and it is non-concussive.

By means of a regulating device, which is accessible without shutting off water, the Flusherette can be easily adjusted to give the exact volume of water necessary to efficiently flush the fixture to which it is attached. At the same time the regulating device cannot be tampered with by irresponsible persons.

The Flusherette is made for both low and high pressures. The low pressure type is suitable for any pressure from 3 to 30 lbs. per square inch, and the high pressure type for any ordinary main pressure beyond 30 lbs. For testing purposes at Works, the pressure under which Flusherettes are required to operate should be stated when ordering.

The Flusherette is fully protected by Canadian, British and Foreign Patents. The name is also registered

TWYFORDS' SANITARY FIXTURES



Nos. JL 36 and JL 37

No. JL 36 TWYFORDS' W.C. FIXTURE comprising "CV" chinaware "Laval" twin-jet syphon bowl; nickel plated Flusherette with chinaware handle; nickel plated flush bend with spud connection; piano polish seat and cover, mahogany finish, with nickel plated post hinges; brass floor flange with rubber washer and bolts.

No. JL 37 TWYFORDS' W.C. FIXTURE as above, but Flusherette with upright handle, as inset.


Dimensions

Bowl 16" high and $12\frac{1}{2}$ " \times 10" inside at top.

For description of Flusherette see preceding page. It is advisable to fix a stop valve on supply pipe so that the Flusherette can be uncoupled for examination of internal parts without inconvenience, or risk of flooding.

For roughing-in measurements see page 53

TWYFORDS' SANITARY FIXTURES



No. JL 38

No. JL 38 TWYFORDS' W.C. FIXTURE comprising "CV" chinaware "Sanoform" syphon bowl with lipped front and recessed back; brass Flushurette with seat action; flush bend with spud connection; genuine mahogany seat and enclosure, piano finish, with nickel plated post hinges; brass floor flange with rubber washer and bolts.

Dimensions

Bowl 16" high and $14\frac{1}{2}" \times 10\frac{1}{2}"$ inside at top.

This outfit which is one of the most sanitary, convenient and compact on the market, is recommended as thoroughly efficient in every respect. The Flushurette with seat-action device ensures a perfect and automatic flush immediately the user rises from seat, and the bowl—being lipped at front and recessed at back—represents an important hygienic improvement in respect of shape. The enclosure covers all metal fittings, but working parts are readily accessible in case of need, and the cutting of recess in wall is avoided. See page 23 for description of the Flushurette.

For roughing-in measurements see page 53

TWYFORDS' SANITARY FIXTURES



No. JL 39 "Convenient"

No. JL 39 TWYFORDS' "CONVENIENT" W.C. FIXTURE comprising "CV" chinaware "Laval" twin-jet syphon bowl; "CV" chinaware tank with supports and nickel plated push button; nickel plated flush bend with spud connection; nickel plated supply pipe with stop valve and floor flange; piano polish seat and cover, mahogany finish with nickel plated post hinges; brass floor flange with rubber washer and bolts.

Dimensions

Bowl 16" high and $12\frac{1}{2}" \times 10"$ inside at top.

Any of the bowls illustrated on the pages following can be substituted in place of the "Laval."

For roughing-in measurements see page 53

TWYFORDS' SANITARY FIXTURES



No. JL 40 "Convenient"

No. JL 40 TWYFORDS' "CONVENIENT" W.C. FIXTURE comprising "CV" chinaware "Minotaur" washdown syphon bowl; "CV" chinaware tank with supports and nickel plated push button; nickel plated flush bend with spud connection; nickel plated supply pipe with stop valve and floor flange; piano polish seat and cover, mahogany finish, with nickel plated post hinges; brass floor flange with rubber washer and bolts.


Dimensions

Bowl 16" high and 12" \times 10½" inside at top.

Any of the bowls illustrated on the pages following can be substituted in place of the "Minotaur."

For roughing-in measurements see page 54

TWYFORDS' SANITARY FIXTURES



No. JL 249 "Perfectaur"

No. JL 247 "Sanotaur"

No. JL 249 TWYFORDS' "PERFECTAUR" TWIN-JET SYPHON W.C. BOWL in "CV" Chinaware, with lipped front and anti-syphon connection.

No. JL 247 TWYFORDS' "SANOTAUR" TWIN-JET SYPHON W.C. BOWL in "CV" Chinaware, with raised rear vent.

Dimensions


"Perfectaur"	...	16" high and 14" \times 10 $\frac{1}{2}$ " inside at top.
"Sanotaur"	...	16" high at front and 12 $\frac{1}{2}$ " \times 10" inside at top.

The "Perfectaur" has the quickest and most powerful syphonic action of any bowl made. The anti-syphon connection prevents contents of bowl being syphoned out by emptying in slops.

The "Sanotaur" is the regular twin-jet syphon bowl with raised rear vent for connecting to ventilating shaft.

For roughing-in measurements see page 54

TWYFORDS SANITARY FIXTURES



No. JL 242 "Laval"

No. JL 250 "Sanoform"

No. JL 242 TWYFORDS' "LAVAL" TWIN-JET SYPHON W.C. BOWL in "CV" Chinaware.

No. JL 250 TWYFORDS' "SANOFORM" SYPHON W.C. BOWL in "CV" Chinaware, with lipped front and recessed back.

Dimensions


"Laval" ...	16" high and $12\frac{1}{2}"$ \times $10"$ inside at top.
"Sanoform" ...	16" " " $14\frac{1}{2}"$ \times $10\frac{1}{2}"$ " " "

The "Laval" is the regular twin-jet syphon pattern but a very much finer bowl as regards finish and reliability than the average.

The "Sanoform" is lipped at front and recessed at back—a form obviously possessing sanitary advantages of importance. It is highly efficient in action.

For roughing-in measurements see page 55

TWYFORDS' SANITARY FIXTURES



No. JL 248 "Selectaur"

No. JL 245 "Minotaur"

No. JL 248 TWYFORDS' "SELECTAUR" SYPHON W.C. BOWL in "CV" Chinaware.

No. JL 245 TWYFORDS' "MINOTAUR" SYPHON W.C. BOWL in "CV" Chinaware.

Dimensions


"Selectaur"	...	16" high and 12" \times 10 $\frac{1}{2}$ " inside at top.
"Minotaur"	...	16" " " 12" \times 10 $\frac{1}{2}$ " " "

The "Selectaur" is a washdown syphon, but with back trappage which allows the construction of a better shaped bowl without adversely affecting the flush.

The "Minotaur" is the standard washdown syphon pattern, and considering its absolute reliability, superior finish and low price it is the best value on the market.

For roughing-in measurements see pages 55 and 56

TWYFORDS' SANITARY FIXTURES



No. JL 251 "Servitaur"

No. JL 252 "Junitaur"

No. JL 251 TWYFORDS' "SERVITAUR" WASHDOWN SYPHON W.C. BOWL in "CV" Chinaware, with raised lip at front and hardwood "Inserta" pads.

No. JL 252 TWYFORDS' "JUNITAUR" SYPHON W.C. BOWL in "CV" Chinaware.

Dimensions


"Servitaur"	...	16" high and 13" × 10" inside at top.
"Junitaur"	...	14" " " 12" × 10" " "

The "Servitaur," with its raised lip at front, and special "Inserta" pads on rim instead of usual hinged seat, is exceptionally well suited for public use. The hardwood pads are much less likely to get soiled than is the case with seats extending all round the bowl, and the raised lip reduces likelihood of floor being soiled.

The "Junitaur" is a washdown syphon with back trappage introduced to meet the demand for a bowl somewhat smaller than the ordinary for the use of juniors, and for this purpose it is unsurpassed.

For roughing-in measurements see page 56

TWYFORDS' SANITARY FIXTURES



No. JL 76

No. JL 76 TWYFORDS' SINK in white enameled "Adamant" Porcelain, with 9" integral back; nickel plated $\frac{1}{2}$ " compression bibbs; nickel plated 2" waste fitting with rubber plug; painted cast iron wall brackets.


Dimensions

Overall	Depth inside
42" x 24"	7"
36" x 24"	7"
30" x 26"	7"
30" x 22"	7"
27" x 22"	7"
24" x 22"	7"

This sink can be supplied buff instead of white.

For roughing-in measurements see page 57

TWYFORDS' SANITARY FIXTURES



No. JL 77

No. JL 77 TWYFORDS' SINK in white enameled "Adamant" Porcelain, with porcelain back 15" or 18" high; nickel plated $\frac{1}{2}$ " compression bibbs; nickel plated 2" waste fitting with rubber plug; painted cast iron legs and wall supports; grooved teakwood drainer 30" long, with nickel plated hinges and tubular support.

Dimensions

Overall	Depth inside
48" x 24"	7"
42" x 24"	7"
36" x 23"	7"
30" x 20"	7"
24" x 17"	6"

This sink can be supplied buff instead of white.

For roughing-in measurements see page 57

TWYFORDS' SANITARY FIXTURES



No. JL 11

No. JL 11 TWYFORDS' WASH TUB in white enamelled "Adamant" Porcelain, with 6" integral back; nickel plated $\frac{1}{2}$ " compression bibbs; nickel plated 2" waste fitting with rubber plug; painted cast iron legs and wall supports.

Dimensions

Overall	Depth inside
29" x 24"	15"
26" x 24"	15"
24" x 24"	15"

This wash tub can be supplied buff instead of white.

For roughing-in measurements see page 57

TWYFORDS' SANITARY FIXTURES



No. JL 614

No. JL 614 TWYFORDS' SLOP SINK in white enamelled "Adamant" Porcelain, with 12" integral back; nickel plated $\frac{1}{2}$ " compression bibbs; porcelain outlet grating; porcelain trap; hardwood "Inserta" rim.


Dimensions

20" wide \times 21" back to front \times 26" high at front, overall sizes.

This slop sink can be supplied buff instead of white.

For roughing-in measurements see page 58

TWYFORDS' SANITARY FIXTURES



No. J.L. 106

No. J.L. 106 TWYFORDS' URINAL RANGE, comprising stalls, facings, automatic tank and mosaic tiled treads, all in white enamelled "Adamant" Porcelain; painted cast iron tank brackets; nickel plated flush pipes with spreaders; nickel plated dome shaped outlet grating.


Dimensions

Height to top of facings	4' 4"
Centers	2' 0"
Projection from wall to front of facings	1' 5½"
Depth in floor	5½"

Illustration shows range for five persons, but it can be supplied with any number of stalls from two upwards; also buff instead of white.

For roughing-in measurements see page 58

TWYFORDS' SANITARY FIXTURES



No. JL 112

No. JL 112 TWYFORDS' URINAL RANGE, comprising stalls, facings, automatic tank and floor slips, all in white enamelled "Adamant" Porcelain; painted cast iron tank brackets; nickel plated flush pipes with spreaders; nickel plated dome shaped outlet grating.


Dimensions

				Large size	Small size
Height to top of stalls	3' 6"	3' 0"
Centers	2' 0"	1' 8"
Projection from wall to front of facings	1' 0½"	1' 0½"
Depth in floor	5½"	5½"

These urinals can be made up to accommodate any desired number of persons, and can be supplied buff instead of white.

For roughing-in measurements see page 58

TWYFORDS' SANITARY FIXTURES



No. JL 124


No. JL 124 TWYFORDS' URINAL RANGE, comprising stalls, facings, automatic tank and floor slips, all in white enamelled "Adamant" Porcelain; painted cast iron tank brackets; nickel plated flush pipes with spreaders; nickel plated dome shaped outlet grating.

Dimensions

Height to top of facings	3' 11"
Centres	2' 0"
Projection from wall	1' 3½"
Depth in floor	5½"

These urinals can be made up to accommodate any desired number of persons, and be supplied buff instead of white.

TWYFORDS' SANITARY FIXTURES



No. JL 114


No. JL 114 TWYFORDS' URINAL RANGE, comprising stalls and automatic tank in white enamelled porcelain; painted cast iron tank brackets; nickel plated flush pipes with spreaders; nickel plated dome shaped outlet gratings.

Dimensions

Stalls	3' 9" high × 1' 6" wide
Centres	2' 0"
Projection from wall to front of lip	1' 2"

If stalls are fixed in floor as inset the height is reduced by 6"

TWYFORDS' SANITARY FIXTURES



No. JL 408

No. JL 408 TWYFORDS' URINAL in white enamelled "Adamant" Porcelain, with porcelain automatic tank and cover; nickel plated flush pipe with spreader; nickel plated dome shaped outlet grating.


Dimensions

Height to top of stalls	4' 0"
Width overall	2' 0"
Projection from wall to front of facings	1' 6"

This is a high class urinal of substantial appearance having as its special feature a projecting lip at base rising to a height of 9" from floor. The object of this high lip is to prevent splashing from the urinal, an advantage very much appreciated in Clubs, Theatres, Hotels, &c.

For roughing-in measurements see page 59

TWYFORDS' SANITARY FIXTURES



No. JL 409

No. JL 409 TWYFORDS' URINAL in white enamelled "Adamant" Porcelain, with porcelain automatic tank and cover; nickel plated flush pipe with spreader; nickel plated dome shaped outlet grating.


Dimensions

Height to top of stall	4' 0"
Width overall	2' 0"
Projection from wall to front of facing	1' 6"

The above urinal is similar to one illustrated on previous page but with ordinary lip at base. It can, if desired, be let 6" into floor, bringing the top of lip into line with floor level.

For roughing-in measurements see page 59

TWYFORDS' SANITARY FIXTURES



No. JL 403

No. JL 403 TWYFORDS' URINAL in white enamelled "Adamant" Porcelain, with porcelain automatic tank and cover; nickel plated flush pipe with spreader; nickel plated dome shaped outlet grating.


Dimensions

Height to top of stall	3' 6"
Width overall	2' 0"
Projection from wall to front of facing	1' 0"
Depth in floor	5½"

The moderate price of this urinal makes it a very popular pattern, and it can be recommended with every confidence. The same style of urinal can be had 1' 6" wide instead of 2' 0"

For roughing-in measurements see page 59

TWYFORDS' SANITARY FIXTURES




TWYFORDS' BATHROOM ACCESSORIES in "CV" Chinaware

- | | |
|------------|--|
| No. JL 922 | Soap or Sponge Tray with nickel plated elbow |
| „ JL 923 | Toilet Paper Holder with nickel plated rod |
| „ JL 924 | Tumbler or Shaving Mug Holder with nickel plated elbow |
| „ JL 925 | Tumbler |
| „ JL 926 | Combined Soap and Brush Tray |
| „ JL 927 | Shaving Mug |
| „ JL 928 | Soap Dish |
| „ JL 929 | Towel Rail 24" long with nickel plated elbows |
| „ JL 930 | Robe Hook |
| „ JL 931 | Shelf 22" long x 6" wide with nickel plated brackets |
| „ JL 932 | Shelf 22" long x 6" wide with chinaware supports having nickel plated elbows |

The superior appearance and pronounced sanitary qualities of these Chinaware Bathroom Requisites appeal at a glance, and they are far ahead of the easily tarnished metal and absorbent wood fixtures

TWYFORDS' SANITARY FIXTURES



MIRRORS with "CV" Chinaware Frames.

TWYFORDS' MIRRORS in best silvered plate glass with bevelled edges and "CV" Chinaware frames.


No. JL 901	Oblong with brush and comb tray
" JL 902	" " shelf
" JL 903	Oval
" JL 904	Oblong
" JL 905	Circular

Dimensions

No. JL 901	...	22" x 15"	overall sizes
" JL 902	...	22" x 15"	" "
" JL 903	...	15½" x 13"	" "
" JL 904	...	24" x 18"	" "
" JL 904	...	20" x 16"	" "
" JL 904	...	15½" x 13"	" "
" JL 905	...	20" diameter	

These mirrors with chinaware frames are particularly suitable for Bathrooms as they are absolutely hygienic. They are unaffected by steam or moisture, and always retain a clean and fresh appearance.

TWYFORDS' SANITARY FIXTURES




TWYFORDS' FITTINGS in Heavy Nickel Plated Brass

- No. JL 110 Bath Fitting having $\frac{3}{4}$ " quick compression valves with china lever handles, bell supply, 2" throw-over waste with overflow.
- „ JL 111 Bath Fitting having $\frac{3}{4}$ " compression valves, bell supply, 2" pull-up waste with overflow.
- „ JL 112 Shower Fitting having $\frac{3}{4}$ " hot and cold combined supply and waterproof curtain with ring, hook and chain.
- „ JL 113 Faucet, $\frac{1}{2}$ ", fuller type, with china lever handle.
- „ JL 114 Faucet, $\frac{1}{2}$ " quick compression type, with china lever handle.

We have a large selection of all kinds of fittings; the above only represent a few of the most current types

TWYFORDS' SANITARY FIXTURES




TWYFORDS' FITTINGS in Heavy Nickel Plated Brass

- No. JL 115 Faucet, $\frac{1}{2}$ ", compression type.
- „ JL 116 „ $\frac{1}{2}$ ", self-closing compression type.
- „ JL 117 Bibb $\frac{1}{2}$ ", compression type.
- „ JL 118 Combination Supply having $\frac{1}{2}$ " hot and cold quick turn compression valves with china lever handles.
- „ JL 119 "Sola" Waste, $1\frac{1}{4}$ ", pull-up type with overflow.
- „ JL 120 "Elro" Waste, $1\frac{1}{4}$ ", throw-over type with overflow.
- „ JL 121 "Noval" Waste, $1\frac{1}{4}$ ", pop-up type.

The fittings illustrated above are ordinary current patterns in addition to which we have a large variety to meet all likely requirements

TWYFORDS' SANITARY FIXTURES




TWYFORDS' FITMENTS FOR CLOSET BOWLS

- No. JL 670 Seat and Cover, with heavy nickel plated post hinges.
- „ JL 671 Seat and cover, open front type, with heavy nickel plated post hinges
- „ JL 672 Seat and cover, with nickel plated hinges.
- „ JL 673 „ „ „ „ „ „ „
- „ JL 674 Spud Connection in brass with jamb nut and rubber washer.
- „ JL 675 Floor Flange in brass with rubber washer, brass bolts and nuts.


The above seats which may be had in any wood or finish only represent a few of the many different types we can supply

TWYFORDS' SANITARY FIXTURES




No. JL 69 "Athena" Bath

A	B	C	D	E
6' 4"	2' 8"	6 $\frac{7}{8}$ "	4"	1' 5"
5' 10"	2' 8"	6 $\frac{7}{8}$ "	4"	1' 5"
5' 6"	2' 6"	6 $\frac{7}{8}$ "	4"	1' 4"
5' 0"	2' 6"	6 $\frac{7}{8}$ "	4"	1' 4"



No. JL 70 "Verona" Bath

A	B	C	D
6' 0"	2' 6"	6 $\frac{7}{8}$ "	4"
5' 6"	2' 6"	6 $\frac{7}{8}$ "	4"





No. JL 71 "Romano" Bath

A	B	C	D
6' 0"	2' 6"	6 $\frac{7}{8}$ "	4"
5' 6"	2' 6"	6 $\frac{7}{8}$ "	4"



For illustrations of above Fixtures are pages 3, 4 and 5

TWYFORDS' SANITARY FIXTURES



Nos. JL 2 "Granville" and JL 802 "Elgin"

A	B	C	D	E
30"	24"	8½"	4½"	3"





No. JL 860 "Abingdon"

A	B	C	D	E
30"	22"	7"	3½"	3¼"
26"	20"	7"	3½"	3¼"



For illustrations of above Fixtures see pages 6 and 7

TWYFORDS' SANITARY FIXTURES





**Nos. JL 90 and
JL 91 Lavatories**

A	27"
B	19"
C	6½"
D	3¾"
E	6"



**Nos. JL 92 and
JL 93 Lavatories**

A	27"	25"	22"
B	19"	18"	16"
C	6½"	6½"	5¾"
D	3¾"	3¾"	3¾"
E	6"	6"	6"





**Nos. JL 94 and
JL 95 Lavatories**

A	27"	25"	22"
B	19"	18"	16"
C	6½"	6½"	5¾"
D	3¾"	3¾"	3¾"
E	6"	6"	6"



For illustrations of above Fixtures see pages 8, 9 and 10

TWYFORDS' SANITARY FIXTURES





Nos. JL 96 and
JL 97 Lavatories

A	30"	27"	24"
B	22"	20"	18"
C	7"	6 $\frac{3}{4}$ "	6 $\frac{1}{4}$ "
D	3"	3"	3"
E	8"	8"	8"



Nos. JL 861 and
JL 862 Lavatories

A	26"	24"
B	20"	18"
C	7"	7"
D	3 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "
E	3 $\frac{1}{4}$ "	3 $\frac{1}{4}$ "




Nos. JL 863 and
JL 864 Lavatories

A	26"	24"
B	20"	18"
C	7"	7"
D	3 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "
E	3 $\frac{1}{4}$ "	3 $\frac{1}{4}$ "



For illustrations of above Fixtures see pages 11, 12 and 13

TWYFORDS' SANITARY FIXTURES





Nos. JL 865 and
JL 866 Lavatories

A	30"	27"
B	22"	20"
C	7 $\frac{1}{4}$ "	7 $\frac{3}{4}$ "
D	2 $\frac{3}{4}$ "	2 $\frac{3}{4}$ "
E	4 $\frac{1}{4}$ "	4 $\frac{1}{4}$ "



Nos. JL 98 and
JL 867 Lavatories

A	22"
B	18"
C	6 $\frac{1}{2}$ "
D	3 $\frac{1}{4}$ "
E	5 $\frac{1}{2}$ "





Nos. JL 99 and
JL 868 Lavatories

A	22"
B	18"
C	6 $\frac{1}{2}$ "
D	3 $\frac{1}{4}$ "
E	5 $\frac{1}{2}$ "



For illustrations of above Fixtures see pages 14, 15 and 16

TWYFORDS' SANITARY FIXTURES





Nos. JL 100 and
JL 869 Lavatories

A	25"
B	23"
C	7 $\frac{3}{4}$ "
D	3"
E	10"



No. JL 101 Lavatory

A	20"
B	18"
C	10"
D	4 $\frac{3}{4}$ "
E	7 $\frac{3}{4}$ "




No. JL 49 Lavatory

A	27"	25"	22"
B	19"	18"	16"
C	7"	6 $\frac{3}{4}$ "	5 $\frac{1}{2}$ "
D	3"	3"	3"
E	6"	6"	5 $\frac{3}{4}$ "



For illustrations of above Fixtures see pages 17, 18 and 19

TWYFORDS' SANITARY FIXTURES




No. JL 1331 Lavatory Range

A	B	C	D	E
26"	20"	7"	3½"	3¼"
24"	18"	7"	3½"	3¼"



No. JL 1332 Lavatory Range

A	B	C	D	E
26"	20"	7"	3½"	3¼"
24"	18"	7"	3½"	3¼"




No. JL 1
Drinking
Fountain

A	30"
B	12"
C	6"
D	12"
E	4"
F	3"



No. JL 7
Drinking
Fountain

A	9"
B	7"
C	12"
D	15"
E	4½"
F	5"





For illustrations of above Fixtures see pages 20, 21 and 22

TWYFORDS' SANITARY FIXTURES





Nos. JL 36 and JL 37
W.C. Fixtures

A	28"
B	16"
C	18"
D	18 1/2"
E	5 1/2"
F	15 1/4"
H	3 3/4"
J	8"
K	14 3/4"



No. JL 38
W.C. Fixture

A	28"
B	16"
C	20"
D	14"
E	9"
F	5"
G	4"
H	2"
I	8"
J	11 3/4"




No. JL 39 "Convenient"
W.C. Fixture

A	29"
B	16"
C	7 3/4"
D	18 1/4"
E	23 1/2"
F	15 1/4"
G	7 1/4"
H	3 1/4"
J	8"
K	15 3/4"
L	24"



For illustrations of above Fixtures see pages 24, 25 and 26

TWYFORDS' SANITARY FIXTURES





No. JL 40 "Convenient"
W.C. Fixture

A	27"
B	16"
C	2½"
D	18½"
E	21½"
F	15½"
G	8"
H	4"
J	8"
K	14½"
L	2"
M	8"



No. JL 249 "Perfectaur"
W.C. Bowl

A	23½"
B	14½"
C	16"
D	10½"
E	3½"
F	8"
G	8½"
H	2½"
J	2½"





No. JL 247 "Sanotaur"
W.C. Bowl

A	25"
B	14½"
C	16"
D	12½"
E	3½"
F	8"
G	5½"
H	2½"
J	5"
K	2½"
L	4½"



For illustrations of above Fixtures see pages 27 and 28

TWYFORDS' SANITARY FIXTURES





No. JL 242
"Laval" W.C. Bowl

A	23"
B	14½"
C	16"
D	10½"
E	3¼"
F	8"
G	5½"
H	2½"



No. JL 250
"Sanoform" W.C. Bowl

A	22"
B	14½"
C	16"
D	6½"
E	4"
F	8"
G	5½"
H	2¼"





No. JL 248
"Selectaur" W.C. Bowl

A	20½"
B	14½"
C	16"
D	6½"
E	4"
F	8"
G	5½"
H	2½"


For illustrations of above Fixtures see pages 29 and 30

TWYFORDS' SANITARY FIXTURES





No. JL 245
"Minotaur" W.C. Bowl

A	18½"
B	14½"
C	16"
D	17½"
E	5½"
F	4"
G	8"
H	5½"
J	2½"



No. JL 251
"Servitaur" W.C. Bowl

A	18½"
B	14"
C	17½"
D	5¼"
E	4"
F	8"
G	2½"





No. JL 252
"Junitaur" W.C. Bowl

A	20½"
B	14"
C	14"
D	6½"
E	4"
F	8"
G	5½"
H	2½"

For illustrations of above Fixtures see pages 30 and 31



TWYFORDS' SANITARY FIXTURES



No. JL 76

Sink



A	8½"
B	9"
C	3"
D	8"
E	6"



No. JL 77

Sink with Drainer

A	21½"
B	8½"
C	15" or 18"
D	3"
E	8"
F	6"



No. JL 11

Wash Tub



A	15"
B	17"
C	6"
D	3"
E	8"
F	6"

For illustrations of above Fixtures see pages 32, 33 and 34

TWYFORDS' SANITARY FIXTURES

No. JL 614



Slop Sink



A	20"
B	21"
C	26"
D	12"
E	8"
F	3"
G	3½"
H	4½"
J	7½"

No. JL 106


Urinal Range



A	2' 0"
B	4' 4"
C	1' 5½"
D	9½"
E	5½"
F	12"
G	2' 8"
H	11"

No. JL 112

Urinal Range





A	2' 0"	1' 8"
B	3' 6"	3' 0"
C	12½"	12½"
D	10½"	10½"
E	5½"	5½"
F	9"	9"
G	12"	10"
H	3' 6"	4' 0"
J	11"	11"

For illustrations of above Fixtures see pages 35, 36 and 37

TWYFORDS' SANITARY FIXTURES



No. JL 408 Urinal

A	2' 0"
B	3' 3"
C	1' 6"
D	9"
E	11"
F	3' 0"
G	12½"





No. JL 409 Urinal

A	2' 0"
B	3' 6"
C	1' 6"
D	6"
E	11"
F	3' 0"
G	12½"



No. JL 403 Urinal

A	2' 0"
B	3' 6"
C	12"
D	5½"
E	9"
F	3' 6"
G	12½"



For illustrations of above Fixtures see pages 38, 39 and 40

INDEX

BATHS

No.		Pages
JL 9	Bathroom Suite	1-2
JL 69	"Athena" Bath	3
JL 70	"Verona" Bath	4
JL 71	"Romano" Bath	5

LAVATORIES

JL 2	"Granville" Lavatory	6
JL 49	Lavatory	19
JL 90	"	8
JL 91	"	8
JL 92	"	9
JL 93	"	9
JL 94	"	10
JL 95	"	10
JL 96	"	11
JL 97	"	11
JL 98	"	15
JL 99	"	16
JL 100	"	17
JL 101	"	18
JL 802	"Elgin" Lavatory	6
JL 860	"Abingdon" Lavatory	7
JL 861	Lavatory	12
JL 862	"	12
JL 863	"	13
JL 864	"	13
JL 865	"	14
JL 866	"	14
JL 867	"	15
JL 868	"	16
JL 869	"	17
JL 1331	Lavatory Range	20
JL 1332	" "	21

FOUNTAINS

JL 1	Fountain	22
JL 7	"	22

WATER CLOSETS

JL 36	W.C. Fixture with Flusherette	24
JL 37	" " " "	24
JL 38	" " " "	25
JL 39	"Convenient" W.C. Fixture	26
JL 40	"	27
JL 242	"Laval" W.C. Bowl	29
JL 245	"Minotaur" W.C. Bowl	30
JL 247	"Sanotaur" " "	28
JL 248	"Selectaur" " "	30
JL 249	"Perfectaur" " "	28
JL 250	"Sanoform" " "	29
JL 251	"Servitaur" " "	31
JL 252	"Junitaur" " "	31

INDEX—continued

SINKS AND WASH TUBS

No.		Pages
JL 11	... Wash Tub	34
JL 76	... Sink	32
JL 77	... "	33
JL 614	... Slop Sink	35

URINALS

JL 106	... Urinal Range	36
JL 112	... " "	37
JL 403	... Urinal	40
JL 408	... "	38
JL 409	... "	39

ACCESSORIES

JL 110—JL 111	... Bath Fittings	43
JL 112	... Shower Fitting	43
JL 113—JL 114	... Faucets	43
JL 115—JL 116	... "	44
JL 117	... Bibb	44
JL 118	... Combination Supply	44
JL 119	... "Sola" Waste	44
JL 120	... "Elro" "	44
JL 121	... "Noval" "	44
JL 670—JL 673	... W.C. Seats	45
JL 674	... Spud Connection	45
JL 675	... W.C. Floor Flange	45
JL 901—JL 905	... Mirrors	42
JL 922	... Soap or Sponge Tray	41
JL 923	... Toilet Paper Holder	41
JL 924	... Tumbler Holder	41
JL 925	... Tumbler	41
JL 926	... Soap and Brush Tray	41
JL 927	... Shaving Mug	41
JL 928	... Soap Dish	41
JL 929	... Towel Rail	41
JL 930	... Robe Hook	41
JL 931—JL 932	... Shelves	41





CATALOGUE "JL"